

ALWAYS A WAVELENGTH AHEAD.

TX-2A
TOP



DESCRIPTION

The active 2-way full range top TX-2A bribes though its extraordinary low weight, the compact dimensioning and its ease of use.

The system accomplishes any kind of music playback in an exemplary manner with an unbelievable precision. Despite of in fullrange mode or with additional subbass support.

The 12" long-excursion driver with ultra low distortion, guarantees a remarkable energetic and tight low-mid reproduction. Uniformed and controlled dispersion is guaranteed by an elliptical CD-horn.

A mechanical vibration analysis was applied to avoid any partial resonances.



FEATURES

A special technique of modern signal processing combined with psycho acoustical insights ensures a maximum of performance to the DSP-driven full range operation.

- Coherent Wavefront Design
- Perfect coverage
- Outstanding dynamic
- Intelligent rigging hardware EPS
- DSP controlled amplifying unit
- Adjustable tilt angle flange mount



APPLICATIONS

With three integrated EPS (Express Pin System) points the TX-series can be rigged in countless varieties. The TX-2 allows an unproblematic stand-alone operation based on its unique full range capability.

- Portable PA for bands / DJs
- Clubs / Discos
- DJ- & stage monitor
- Speech reinforcement
- Sidefill / Drumfill
- Gala events



PERFORMANCE

System Configuration	High power 2-way fullrange top 1 x 12" high excursion 3" VC driver 1 x HF-compression driver with 1.75" VC polyester diaphragm
Electronics	800W + 200W RMS amping power
Signal Processor	24bit ADC/DAC, 48kHz samplerate
Frequency Response	65-20000Hz (+/- 3dB)
Coverage Angle	80° horizontal x 55° vertical
Monitor Angle	24° / 44°
Crossover Frequency	1400Hz
Sensitivity	97dB / 1W / 1m
Connection	XLR in / out, Powercon in / out



PHYSICAL

Enclosure	Rigid braced construction of special 12mm lightweight-wood	
Finish	High-density polyurethane-coating Black	
Front Cover	Weather-resistant front fabric on coated 1.5mm perforated steel	
Dimensions	Inches	Millimeters
Height	23.7	603
Width	14.3	362
Depth	15.1	384
Weight	Pounds	Kilograms
	36.4	16.5

